

**OZNAKE:**

EMS-ležajevi sa tihim radom za elektro motorni sistem INOX-ležajevi od neraju eg elika  
 ZZ-ležajevi zatvoreni sa metalom obostrano 2rs-ležajevi zatvoreni sa gumom obostrano  
 d-unutrašnji prenik ležaja, D-spoljašnji prenik ležaja i B-širina ležaja.

**cena bez**

d D B pdv-a/eur. otvoreni/ zatvoreni/mm

MODEL		BREND	DIMENZIJE				
			d.	D.	B.	B.	
mod	o	brend	d.	D.2	b1	b.	cena bez pdv
682	zz	ISB-ITALY	2	5		2.3	1.22
MR52	zz	ISB-ITALY	2	5		2.5	1.12
MR63		GER	3	6	2		1.05
MR63	zz	ISB-ITALY	3	6		2.5	1.05
MR63inox	zz	ISB-ITALY	3	6		2.5	1.78
683	zz	ISB-ITALY	3	7		3	1.24
MR83	zz	ISB-ITALY	3	8		3	1.05
693inox	zz	ISB-ITALY	3	8		4	2.14
623		ISB-ITALY	3	10	4	4	0.56
633	zz	ISB-ITALY	3	13		5	0.74
MR74	zz		4	7		2.5	1.05
MR84	zz		4	8		3	1.05
618/4-684	2rs	ISB-ITALY	4	9		4	0.64
618/4-684		ISB-ITALY	4	9	2.5		0.64
618/4inox		ISB-ITALY	4	9	2.5		1.60
MR104	zz	ISB-ITALY	4	10		4	1.05
694	zz	ISB-ITALY	4	11		4	1.30
604	zz	ISB-ITALY	4	12		4	0.59
624	2rs	ISB-ITALY	4	13		6	0.50
624inox	zz	ISB-ITALY	4	3		6	1.60
MR85	zz	ISB-ITALY	5	8		2.5	1.05
MR85inox	zz	ISB-ITALY	5	8		2.5	1.60
MR95	zz	ISB-ITALY	5	9		3	1.05
MR105	zz	ISB-ITALY	5	10		4	1.05
MR105inox	zz	ISB-ITALY	5	10		4	1.70
685	zz	ISB-ITALY	5	11		5	1.26
685	2rs	ISB-ITALY	5	11		5	1.26
695	2rs	ISB-ITALY	5	13		4	1.36
605	2rs	ISB-ITALY	5	14		5	0.64
605inox	2rs	ISB-ITALY	5	14		5	2.04
625	2rs	ISB-ITALY	5	16		5	0.52
635	2rs	ISB-ITALY	5	19		6	0.98
635	zz	ISB-ITALY	5	19		6	0.98
MR106	zz	ISB-ITALY	6	10		3	1.05
MR126	zz	ISB-ITALY	6	12		4	1.05
618/6	2rs	ISB-ITALY	6	13		5	0.94
686	2rs	ISB-ITALY	6	13		5	0.94

618/6inox	2rs	ISB-ITALY	6	13	5	2.32
618/6	zz	ISB-ITALY	6	13	5	0.94
696inox	zz	ISB-ITALY	6	15	5	2.12
619/6	zz	ISB-ITALY	6	15	5	1.18
606	zz	ISB-ITALY	6	17	6	0.64
606inox	zz	ISB-ITALY	6	17	6	2.24
MR117	zz	GER	7	11	3	1.56
MR137	zz		7	13	4	1.10
626	2rs	ISB-ITALY	6	18	6	0.52
626	zz	ISB-ITALY	6	19	6	0.52
626inox	2rs	ISB-ITALY	6	19	6	2.26
626inox	zz	ISB-ITALY	6	19	6	2.26
626c3ems	zz	ISB-ITALY	6	19	6	0.90
626c3ems	2rs	ISB-ITALY	6	19	6	0.90
618/7	zz	ISB-ITALY	7	14	5	0.94
687	zz	ISB-ITALY	7	14	5	0.94
619/7	zz	ISB-ITALY	7	14	5	1.40
697	zz	ISB-ITALY	7	14	5	1.40
607	2rs	ISB-ITALY	7	19	6	0.68
607	zz	ISB-ITALY	7	19	6	0.68
607inox	2rs	ISB-ITALY	7	19	6	2.36
607inox	zz	ISB-ITALY	7	19	6	2.36
627	2rs	ISB-ITALY	7	22	7	0.52
627inox	2rs	ISB-ITALY	7	22	7	2.26
627c3	zz	ISB-ITALY	7	22	7	0.56
627inox	zz	ISB-ITALY	7	22	7	2.26
627c3ems	2rs	ISB-ITALY	7	19	7	0.92
627c3ems	zz	ISB-ITALY	7	19	7	0.92
MR128	zz		8	12	3.5	1.56
MR148	zz		8	14	4	1.05
MR148inox	zz	ISB-ITALY	8	14	4	1.64
618/8	zz	ISB-ITALY	8	16	5	0.98
688	zz	ISB-ITALY	8	16	5	0.98
618/8inox	zz	ISB-ITALY	8	16	5	2.36
618/8	2rs	ISB-ITALY	8	16	5	0.98
698inox	2rs	ISB-ITALY	8	19	6	2.16
619/8	zz	ISB-ITALY	8	19	6	1.76
608c3	2rs	ISB-ITALY	8	22	7	0.56
608	zz	ISB-ITALY	8	22	7	0.56
608c3	zz	ISB-ITALY	8	22	7	0.56
608inox	zz	ISB-ITALY	8	22	7	2.26
608inox	2rs	ISB-ITALY	8	22	7	2.26
608c3ems	zz	ISB-ITALY	8	22	7	0.72
608c3ems	2rs	ISB-ITALY	8	22	7	0.78
628	2rs	ISB-ITALY	8	24	8	0.62
628	zz	ISB-ITALY	8	24	8	0.62
628ems	2rs	ISB-ITALY	8	24	8	1.18
638	zz	ISB-ITALY	8	28	9	0.92

689	zz	ISB-ITALY	9	17	5	0.92
618/9	zz	ISB-ITALY	9	17	5	0.92
699	zz	ISB-ITALY	9	20	6	1.28
609	zz	ISB-ITALY	9	24	7	0.64
609	2rs	ISB-ITALY	9	24	7	0.64
609inox	2rs	ISB-ITALY	9	24	7	3.14
609inox	zz	ISB-ITALY	9	24	7	3.14
609c3	zz	ISB-ITALY	9	24	7	0.80
609c3ems	2rs	ISB-ITALY	9	24	7	0.88
609c3ems	zz	ISB-ITALY	9	24	7	0.82
629	zz	ISB-ITALY	9	26	8	0.86
629	2rs	ISB-ITALY	9	26	8	0.86
629inox	zz	ISB-ITALY	9	26	8	4.34
629c3ems	2rs	ISB-ITALY	9	26	8	1.24
629c3ems	zz	ISB-ITALY	9	26	8	0.94